

# INTERIOR DOORS





INNOVATIVE SOLUTIONS

MODERN
TECHNOLOGIES:
STANDARD
SOFT
STILE

**TWIN** 



SECURITY AND FUNCTIONALITY



ATTRACTIVE DECORS AND DESIGN



### TABLE OF CONTENTS

STILE DOOR LEAFS		4
BERBERYS NEW5	PETUNIA	11
FLOKS6	MALWA	
KROKUS NEW7	IRYS	13
MAGNOLIA8	AZALIA	
<b>KAMELIA</b> 9	HIACYNT	15
JUKA10	FRAGI	16
GLASS DOOR LEAFS NEW		17
■ STANDARD AND SOFT DOOR LEAFS		19
<b>BRAND</b> 20	TOLEDO	
<b>CETRA</b> 21	BROADWAY	
<b>SAMUN</b> 22	GALERIA	
<b>DORA</b> 23	CORTINA NEW	
<b>EKA</b>	UNO	
MANHATTAN25	ZEFIR	
TOP	CLASIC	34
GAMA27		
■ INTERIOR STAIRCASE DOOR LEAFS		35
HERSE35	HERSE LUX NEW	36
HYBRID TWIN DOOR LEAFS		37
BOSTON NEW 38	OHIO NEW	
MESA NEW 39	OMAHA NEW	
MONTANA NEW	DALLAS NEW	
NEVADA NEW	TAMPA NEW	45
KNOBS NEW		46
TECHNICAL INFORMATION		17
BOARD TECHNOLOGY: STANDARD AND SOFT47		
RAIL AND ELEMENT STILE TECHNOLOGY48 HYBRID TWIN TECHNOLOGY48	ACCESSORIES	50
■ IN-WALL SLIDING SYSTEMS		51
SINGLE IN-WALL SLIDING SYSTEMS52	DOUBLE IN-WALL SLIDING SYSTEMS	53
ON-WALL SLIDING SYSTEM		54
DOUBLE DOORS		
■ DOOR FRAMES		
ADJUSTABLE FRAMES58	FIXED FRAMES	59

# STILE DOORS



### BERBERYS

INTERIOR STILE DOORS







- door leaf made in STILE technology
- MDF rails and stiles covered with GREKO foil or CPL
- HDF rails 4mm thick, covered with GREKO foil or CPL  $\,$
- brushed aluminium insets

#### HARDWARE

- three silver pintle hinges regulated horizontally
- lock for regular key, patent lock or bathroom lock

#### **■** GLAZING

- hardened milk glass



#### ■ ACCESSORIES TO BE CHARGED ADDITIONALLY

#### ventilation cut

plastic ventilation sleeves (4 pieces)

#### metal ventilation sleeves of round or square shape (4 pieces)

FINISHING: brushed nickel or patina

#### ventilation grill

only for door leafs in widths: 80, 90, 100

#### door leaf 100 wide

#### VSG 221 milk protective glass

price for one piece of glass

#### hinge casings

COLOURS: gold, polished chrome, matt chrome, patina; price for one casing set

#### ■ AVAILABLE TECHNOLOGICAL SOLUTIONS







<sup>\*</sup> white plain foil imitating painted surface

# **FLOKS**





#### **■** CONSTRUCTION

- door leaf made in STILE technology
- MDF rails and stiles covered with GREKO foil or CPL
- HDF rails 4mm thick, covered with GREKO foil or CPL
- brushed aluminium insets

#### HARDWARE

- three silver pintle hinges regulated horizontally
- lock for regular key, patent lock or bathroom lock

#### **■** GLAZING

- hardened milk glass



#### ■ ACCESSORIES TO BE CHARGED ADDITIONALLY

#### ventilation cut

plastic ventilation sleeves (4 pieces)

metal ventilation sleeves of round or square shape (4 pieces)

FINISHING: brushed nickel or patina

#### ventilation grill

only for door leafs in widths: 80, 90, 100

#### door leaf 100 wide

#### VSG 221 milk protective glass

price for one piece of glass

#### hinge casings

COLOURS: gold, polished chrome, matt chrome, patina; price for one casing set

#### **AVAILABLE TECHNOLOGICAL SOLUTIONS**





















**NUT GREKO** VENGE GREKO GOLD OAK GREKO OAK GREKO SONOMA GREKO WHITE GREKO\*





**NUT CPL GREY OAK CPL** 











### **KROKUS**







- door leaf made in STILE technology
- MDF rails and stiles covered with GREKO foil or CPL
- HDF rails 4mm thick, covered with GREKO foil or CPL
- brushed aluminium insets

#### **■** HARDWARE

- three silver pintle hinges regulated horizontally
- lock for regular key, patent lock or bathroom lock

#### **■** GLAZING

- hardened milk glass



#### ■ ACCESSORIES TO BE CHARGED ADDITIONALLY

#### ventilation cut

plastic ventilation sleeves (4 pieces)

metal ventilation sleeves of round or square shape (4 pieces)

FINISHING: brushed nickel or patina

#### ventilation grill

only for door leafs in widths: 80, 90, 100

#### door leaf 100 wide

#### VSG 221 milk protective glass

price for one piece of glass

#### hinge casings

COLOURS: gold, polished chrome, matt chrome, patina; price for one casing set

#### **AVAILABLE TECHNOLOGICAL SOLUTIONS**







### **MAGNOLIA**



MAGNOLIA 1



- door leaf made in STILE technology
- MDF rails and stiles covered with GREKO foil or CPL
- HDF rails 4mm thick, covered with GREKO foil or CPL

- three silver pintle hinges regulated horizontally
- lock for regular key, patent lock or bathroom lock

#### GLAZING

- hardened milk glass

### MAGNOLIA 1 MAGNOLIA 2 MAGNOLIA 3 MAGNOLIA 4 MAGNOLIA 5 MAGNOLIA 6 MAGNOLIA 7 MAGNOLIA 8

#### ■ ACCESSORIES TO BE CHARGED ADDITIONALLY

#### ventilation cut

plastic ventilation sleeves (4 pieces)

metal ventilation sleeves of round or square shape (4 pieces)

FINISHING: brushed nickel or patina

#### ventilation grill

only for door leafs in widths: 80, 90, 100

#### door leaf 100 wide

#### VSG 221 milk protective glass

price for one piece of glass

#### hinge casings

COLOURS: gold, polished chrome, matt chrome, patina; price for one casing set

#### ■ AVAILABLE TECHNOLOGICAL SOLUTIONS





**NUT GREKO** VENGE GREKO GOLD OAK GREKO OAK GREKO SONOMA GREKO WHITE GREKO\*









### KAMELIA







- door leaf made in STILE technology
- MDF rails and stiles covered with GREKO foil or CPL
- HDF rails 4mm thick, covered with GREKO foil or CPL

#### **HARDWARE**

- three silver pintle hinges regulated horizontally
- lock for regular key, patent lock or bathroom lock

#### **■** GLAZING

- hardened milk glass



#### **■** ACCESSORIES TO BE CHARGED ADDITIONALLY

#### ventilation cut

plastic ventilation sleeves (4 pieces)

metal ventilation sleeves of round or square shape (4 pieces)

FINISHING: brushed nickel or patina

#### ventilation grill

only for door leafs in widths: 80, 90, 100

#### door leaf 100 wide

#### VSG 221 milk protective glass

price for one piece of glass

#### hinge casings

COLOURS: gold, polished chrome, matt chrome, patina; price for one casing set

#### **AVAILABLE TECHNOLOGICAL SOLUTIONS**







### **AVAILABLE WIDTHS**60 70 80 90 100









### JUKA 1 JUKA 2 JUKA 4 JUKA 3 JUKA 5 JUKA 6 JUKA 7 JUKA 8

#### **■** CONSTRUCTION

- door leaf made in STILE technology
- MDF rails and stiles covered with GREKO foil or CPL
- HDF rails 4mm thick, covered with GREKO foil or CPL

- three silver pintle hinges regulated horizontally
- lock for regular key, patent lock or bathroom lock

#### GLAZING

- hardened milk glass

#### ■ ACCESSORIES TO BE CHARGED ADDITIONALLY

#### ventilation cut

plastic ventilation sleeves (4 pieces)

metal ventilation sleeves of round or square shape (4 pieces)

FINISHING: brushed nickel or patina

#### ventilation grill

only for door leafs in widths: 80, 90, 100

#### door leaf 100 wide

#### VSG 221 milk protective glass

price for one piece of glass

#### hinge casings

COLOURS: gold, polished chrome, matt chrome, patina; price for one casing set

#### **AVAILABLE TECHNOLOGICAL SOLUTIONS**







































### PETUNIA







- door leaf made in STILE technology
- MDF rails and stiles covered with GREKO foil or CPL
- HDF rails 4mm thick, covered with GREKO foil or CPL

#### HARDWARE

- three silver pintle hinges regulated horizontally
- lock for regular key, patent lock or bathroom lock

#### GLAZING

- hardened milk glass



PETUNIA 1



PETUNIA 2



PETUNIA 3



PETUNIA 4



PETUNIA 5



PETUNIA 6



PETUNIA 7



PETUNIA 8

#### ■ ACCESSORIES TO BE CHARGED ADDITIONALLY

#### ventilation cut

plastic ventilation sleeves (4 pieces)

metal ventilation sleeves of round or square shape (4 pieces)

FINISHING: brushed nickel or patina

#### ventilation grill

only for door leafs in widths: 80, 90, 100

#### door leaf 100 wide

#### VSG 221 milk protective glass

price for one piece of glass

#### hinge casings

COLOURS: gold, polished chrome, matt chrome, patina; price for one casing set

#### AVAILABLE TECHNOLOGICAL SOLUTIONS

























**NUT GREKO** VENGE GREKO GOLD OAK GREKO

**VENGE CPL** 



**GREY OAK CPL** 

NUT CPL

OAK GREKO

#### **AVAILABLE WIDTHS**
















ACACIA CPL

### MALWA





#### CONSTRUCTION

- door leaf made in STILE technology
- MDF rails and stiles covered with GREKO foil or CPL
- HDF rails 4 mm thick covered with brushed aluminium

#### HARDWARE

- three silver pintle hinges regulated horizontally
- lock for regular key, patent lock or bathroom lock

#### **■** GLAZING

- hardened milk glass

#### ■ ACCESSORIES TO BE CHARGED ADDITIONALLY

#### ventilation cut

plastic ventilation sleeves (4 pieces)

metal ventilation sleeves of round or square shape (4 pieces)

FINISHING: brushed nickel or patina

#### ventilation grill

only for door leafs in widths: 80, 90, 100

#### door leaf 100 wide

#### VSG 221 milk protective glass

price for one piece of glass

#### hinge casings

COLOURS: gold, polished chrome, matt chrome, patina; price for one casing set

#### AVAILABLE TECHNOLOGICAL SOLUTIONS







#### AVAILABLE WIDTHS





O MILK GLASS

BRUSHED ALUMINIUM INSETS







CONSTRUCTION

- door leaf made in STILE technology
- MDF rails and stiles covered with GREKO foil or CPL
- HDF rails 4mm thick, covered with GREKO foil or CPL

#### HARDWARE

- three silver pintle hinges regulated horizontally
- lock for regular key, patent lock or bathroom lock

#### **■** GLAZING

- hardened milk glass



#### ■ ACCESSORIES TO BE CHARGED ADDITIONALLY

#### ventilation cut

plastic ventilation sleeves (4 pieces)

metal ventilation sleeves of round or square shape (4 pieces)

FINISHING: brushed nickel or patina

#### ventilation grill

only for door leafs in widths: 80, 90, 100

#### door leaf 100 wide

#### VSG 221 milk protective glass

price for one piece of glass

#### hinge casings

COLOURS: gold, polished chrome, matt chrome, patina; price for one casing set

#### **AVAILABLE TECHNOLOGICAL SOLUTIONS**











## AZALIA







#### **■** CONSTRUCTION

- door leaf made in STILE technology
- MDF rails and stiles covered with GREKO foil or CPL
- HDF rails 4mm thick, covered with GREKO foil or CPL

#### ■ HARDWARE

- three silver pintle hinges regulated horizontally
- lock for regular key, patent lock or bathroom lock

#### **■** GLAZING

- hardened milk glass

#### ■ ACCESSORIES TO BE CHARGED ADDITIONALLY

#### ventilation cut

plastic ventilation sleeves (4 pieces)

metal ventilation sleeves of round or square shape (4 pieces)

FINISHING: brushed nickel or patina

#### ventilation grill

only for door leafs in widths: 80, 90, 100

#### door leaf 100 wide

#### VSG 221 milk protective glass

price for one piece of glass

#### hinge casings

COLOURS: gold, polished chrome, matt chrome, patina; price for one casing set

#### AVAILABLE TECHNOLOGICAL SOLUTIONS









### HIACYNT







- door leaf made in STILE technology
- MDF rails and stiles covered with GREKO foil or CPL
- MDF rails 22 mm thick covered with GREKO foil or CPL

#### HARDWARE

- three silver pintle hinges regulated horizontally
- lock for regular key, patent lock or bathroom lock

#### **■** GLAZING

- hardened milk glass



#### ■ ACCESSORIES TO BE CHARGED ADDITIONALLY

#### ventilation cut

plastic ventilation sleeves (4 pieces)

#### metal ventilation sleeves of round or square shape (4 pieces)

FINISHING: brushed nickel or patina

#### ventilation grill

only for door leafs in widths: 80, 90, 100

#### door leaf 100 wide

#### VSG 221 milk protective glass

price for one piece of glass

#### hinge casings

COLOURS: gold, polished chrome, matt chrome, patina; price for one casing set

**AVAILABLE WIDTHS** 

# SP1N SP2N SP1C.100 SP2C.100 SP1C.125 SP2C.125 SP1C.ZN SP2C.ZN DD STILE TRCHNOLOGY NUT GREKO VENGE GREKO GOLD OAK GREKO OAK GREKO SONOMA GREKO WHITE GREKO' STILECPL

ACACIA CPL VENGE CPL GREY OAK CPL NUT CPL

# FRAGI





ATTENTION: MODEL FRAGI 4 IS AVAILABLE ONLY WITH VSG 441 MILK PROTECTIVE GLASS. PLEASE MIND THE DIFFERENCE IN COLOUR TONE BETWEEN HARDENED GLASS AND VSG

FRAGI3

#### CONSTRUCTION

- door leaf made in STILE technology
- MDF rails and stiles covered with GREKO foil or CPL


#### HARDWARE

- three silver screw pintle hinges regulated horizontally
- lock for regular key, patent lock or bathroom lock

#### GLAZING

- hardened glass 8 mm thick
- leaf FRAGI 4)
- averse/reverse to be selected

#### **■ GLASS FIXED IN STANDARD WAY**



- glued VSG 441 milk protective glass (only for door ATTENTION: PRESENTED GRAPHICS OF MODEL FRAGI CONCERNS ONLY WIDTHS 80. THE REMAINING WIDTHS WILL SHOW LITTLE DIFFERENCES IN THE PROPORTION OF GRAPHICS. DETAILED INFORMATION CAN BE ACCESSED ONLINE AT WWW.ERKADO.PL

#### **AVAILABLE TECHNOLOGICAL SOLUTIONS**

#### **DD - DOUBLE DOORS**



**GREY OAK CPL** 

NUT CPL

#### **AVAILABLE WIDTHS**





VENGE CPL

ACACIA CPL

## GLASS DOORS













GRAF 5









**■** CONSTRUCTION

- hardened glass 8 mm thick
- averse/reverse to be selected
- milk glass with decors printed in black

#### ■ ADJUSTABLE AND FIXED FRAMES

- available in all offered decors and of regular prices

#### ■ ACCESSORIES TO BE CHARGED **ADDITIONALLY**

ventilation cut hardware see the next page

ATTENTION: PRESENTED GRAPHICS OF MODEL FRAGI CONCERNS ONLY WIDTHS 80. THE REMAINING WIDTHS WILL SHOW LITTLE DIFFERENCES IN THE PROPORTION OF GRAPHICS. DETAILED INFORMATION CAN BE ACCESSED ONLINE AT WWW.ERKADO.PL







### **GLASS DOORS**

#### ■ GEZE HARDWARE: ANODE AND RUSTPROOF IRON C31

AVAILABLE SAHPES: OVAL OR RECTANGULAR













LOCK BB oval shape - regular key

LOCK PZ oval shape - patent lock

LOCK UV-FWD oval shape

BATHROOM LOCK oval shape

HINGE oval shape

#### GEZE HARDWARE: SILVER ANODE EV1

AVAILABLE SAHPES: OVAL OR RECTANGULAR











LOCK BB rectangular shape - regular key

LOCK PZ rectangular shape - patent lock

LOCK UV-FWD rectangular shape

BATHROOM LOCK rectangular shape

HINGE rectangular shape

#### **HARDWARE SETS**

SET 1A OVAL (knob with saving lock + hinges)

SET 2A OVAL (knob with regular key lock + hinges)

SET 3A OVAL (knob with patent lock + hinges)

SET 4AZ OVAL EXTERIOR (knob with WC lock + hinges)

SET 4AW OVAL INTERIOR (knob with WC lock + hinges)

SET 1B RECTANGULAR (knob with saving lock + hinges)

SET 2B RECTANGULAR (knob with regular key lock + hinges)

SET 3B RECTANGULAR (knob with patent lock + hinges)

SET 4BZ RECTANGULAR EXTERIOR (knob with WC lock + hinges)


SET 4BW RECTANGULAR INTERIOR (knob with WC lock + hinges)


patent lock 21/26

#### ■ BATHROOM BLOCKADE ON:

exterior side (A)










**WC lock** – when ordering WC lock, the following should be selected: **exterior lock** – when bathroom blockade is to be fixed on the exterior side of the door (A)

or

**interior lock** – when bathroom blockade is to be fixed on the interior side of the door (B)



### INSPIRATIONS BOARD DOORS







### **BRAND**

**INTERIOR DOORS** 







ROOM 4/4

#### **■** CONSTRUCTION

- MDF rails covered with two HDF boards
- stabilising filling 'honeycomb core'

#### FINISHING

- HDF board covered with foil or CPL
- door leaf made in SOFT or STANDARD CPL technology

#### **■** HARDWARE

- SOFT: two screw pintle hinges
- STANDARD CPL: three screw pintle hinges
- lock for regular key, patent lock or bathroom lock

#### GLAZING

decormat milk glass

#### ■ ACCESSORIES TO BE CHARGED ADDITIONALLY

#### homalight board (not available in door leaf 100 wide)

price includes third hinge fixed in standard

#### ventilation grill

#### plastic ventilation sleeves to room and plain door leafs

to bathroom door leafs when ordered without holes for sleeves

#### door leaf 100 wide

price includes third hinge fixed in standard

#### additional hinge

(does not concern CPL, homalight board and door leaf 100 wide)

#### hinge casings

colours: gold, polished chrome, matt chrome, patina; price for one casing set

#### AVAILABLE TECHNOLOGICAL SOLUTIONS























#### AVAILABLE WIDTHS











MODERN **PROFILE** 



### CETRA

**INTERIOR DOORS** 







ROOM 3/3

#### ■ CONSTRUCTION

- MDF rails covered with two HDF boards
- stabilising filling 'honeycomb core'

#### **■** FINISHING

- HDF board covered with foil
- door leaf made in SOFT technology

#### **■** HARDWARE

- two screw pintle hinges
- lock for regular key, patent lock or bathroom lock

#### **■** GLAZING

– decormat milk glass

#### ■ ACCESSORIES TO BE CHARGED ADDITIONALLY

#### homalight board (not available in door leaf 100 wide)

price includes third hinge f xed in standard

#### ventilation grill

#### plastic ventilation sleeves to room and plain door leafs

to bathroom door leafs when ordered without holes for sleeves

#### ventilation cut

#### door leaf 100 wide

price includes third hinge f xed in standard

#### additional hinge

(does not concern CPL, homalight board and door leaf 100 wide)

#### hinge casings

colours: gold, polished chrome, matt chrome, patina; price for one casing set

#### **AVAILABLE TECHNOLOGICAL SOLUTIONS**









### **SAMUN**







ROOM 9/9

#### **■** CONSTRUCTION

- MDF rails covered with two HDF boards
- stabilising filling 'honeycomb core'

#### **■** FINISHING

- DF boardcovered with foil
- door leaf made in SOFT technology

#### HARDWARE

- two screw pintle hinges
- lock for regular key, patent lock or bathroom lock

#### **■** GLAZING

- decormat milk glass

#### ■ ACCESSORIES TO BE CHARGED ADDITIONALLY

#### homalight board (not available in door leaf 100 wide)

price includes third hinge fixed in standard

#### ventilation grill

#### plastic ventilation sleeves to room and plain door leafs

to bathroom door leafs when ordered without holes for sleeves

#### door leaf 100 wide

price includes third hinge fixed in standard

#### additional hinge

(does not concern CPL, homalight board and door leaf 100 wide)

#### hinge casings

colours: gold, polished chrome, matt chrome, patina; price for one casing set

#### AVAILABLE TECHNOLOGICAL SOLUTIONS































# **INTERIOR DOORS**







ROOM 4/4

#### CONSTRUCTION

- MDF rails covered with two HDF boards
- stabilising filling 'honeycomb core'

#### FINISHING

- HDF board covered with foil or CPL
- door leaf made in SOFT or STANDARD CPL technology

#### **■** HARDWARE

- SOFT: two screw pintle hinges
- STANDARD CPL: three screw pintle hinges
- lock for regular key, patent lock or bathroom lock

#### GLAZING

decormat milk glass

#### ■ ACCESSORIES TO BE CHARGED ADDITIONALLY

#### homalight board (not available in door leaf 100 wide)

price includes third hinge  $\mathbf{f}$  xed in standard

#### ventilation grill

#### plastic ventilation sleeves to room and plain door leafs

to bathroom door leafs when ordered without holes for sleeves

#### ventilation cut

#### door leaf 100 wide

price includes third hinge f xed in standard

#### additional hinge

(does not concern CPL, homalight board and door leaf 100 wide)

#### hinge casings

colours: gold, polished chrome, matt chrome, patina; price for one casing set

#### **AVAILABLE TECHNOLOGICAL SOLUTIONS**

ACACIA CPL











**VENGE CPL** 

































ROOM 3/3 BATH

#### CONSTRUCTION

- MDF rails covered with two HDF boards
- stabilising filling 'honeycomb core'

#### FINISHING

- HDF board covered with foil or CPL
- door leaf made in SOFT or STANDARD CPL technology

#### **■** HARDWARE

- SOFT: two screw pintle hinges
- STANDARD CPL: three screw pintle hinges
- lock for regular key, patent lock or bathroom lock

#### **■** GLAZING

– decormat milk glass

#### ■ ACCESSORIES TO BE CHARGED ADDITIONALLY

#### homalight board (not available in door leaf 100 wide)

price includes third hinge fixed in standard

#### ventilation grill

#### plastic ventilation sleeves to room and plain door leafs

to bathroom door leafs when ordered without holes for sleeves

#### ventilation cut

#### door leaf 100 wide

price includes third hinge fixed in standard

#### additional hinge

(does not concern CPL, homalight board and door leaf 100 wide)

#### hinge casings

colours: gold, polished chrome, matt chrome, patina; price for one casing set

DARK OAK

AVAILABLE WIDTHS

#### AVAILABLE TECHNOLOGICAL SOLUTIONS











### MANHATTAN

INTERIOR DOORS







ROOM 4/4 BATHROOM 1/4

#### ■ CONSTRUCTION

- MDF rails covered with two HDF boards
- stabilising filling 'honeycomb core'

#### FINISHING

- HDF board covered with foil or CPL
- door leaf made in SOFT or STANDARD CPL technology

#### HARDWARE

- SOFT: two screw pintle hinges
- STANDARD CPL: three screw pintle hinges
- lock for regular key, patent lock or bathroom lock

#### ■ GLAZING

decormat milk glass

#### ■ ACCESSORIES TO BE CHARGED ADDITIONALLY

#### homalight board (not available in door leaf 100 wide)

price includes third hinge  $\mathbf{f}$  xed in standard

#### ventilation grill

#### plastic ventilation sleeves to room and plain door leafs

to bathroom door leafs when ordered without holes for sleeves

#### ventilation cut

#### door leaf 100 wide

price includes third hinge f xed in standard

#### additional hinge

(does not concern CPL, homalight board and door leaf 100 wide)

#### hinge casings

colours: gold, polished chrome, matt chrome, patina; price for one casing set

AVAILABLE WIDTHS

#### **AVAILABLE TECHNOLOGICAL SOLUTIONS**











# **INTERIOR DOORS**







ROOM 3/3

#### CONSTRUCTION

- MDF rails covered with two HDF boards

- stabilising filling 'honeycomb core'

#### **■** FINISHING

- HDF board covered with foil or CPL
- door leaf made in SOFT or STANDARD CPL technology

#### **■** HARDWARE

- SOFT: two screw pintle hinges
- STANDARD CPL: three screw pintle hinges
- lock for regular key, patent lock or bathroom lock

#### GLAZING

- decormat milk glass

#### ■ ACCESSORIES TO BE CHARGED ADDITIONALLY

#### homalight board (not available in door leaf 100 wide)

price includes third hinge fixed in standard

#### ventilation grill

#### plastic ventilation sleeves to room and plain door leafs

to bathroom door leafs when ordered without holes for sleeves

#### ventilation cut

#### door leaf 100 wide

price includes third hinge fixed in standard

#### additional hinge

(does not concern CPL, homalight board and door leaf 100 wide)

#### hinge casings

colours: gold, polished chrome, matt chrome, patina; price for one casing set

#### AVAILABLE TECHNOLOGICAL SOLUTIONS



























### GAMA INTERIOR DOORS







ROOM 3/3

#### CONSTRUCTION

- MDF rails covered with two HDF boards
- stabilising filling 'honeycomb core'

#### FINISHING

- HDF board covered with foil or CPL
- door leaf made in SOFT or STANDARD CPL technology

#### **■** HARDWARE

- SOFT: two screw pintle hinges
- STANDARD CPL: three screw pintle hinges
- lock for regular key, patent lock or bathroom lock

#### **■** GLAZING

- decormat milk glass

#### ■ ACCESSORIES TO BE CHARGED ADDITIONALLY

#### homalight board (not available in door leaf 100 wide)

price includes third hinge  $\mathbf{f}$  xed in standard

#### ventilation grill

#### plastic ventilation sleeves to room and plain door leafs

to bathroom door leafs when ordered without holes for sleeves

#### ventilation cut

#### door leaf 100 wide

price includes third hinge f xed in standard

#### additional hinge

(does not concern CPL, homalight board and door leaf 100 wide)

#### hinge casings

colours: gold, polished chrome, matt chrome, patina; price for one casing set

#### **AVAILABLE TECHNOLOGICAL SOLUTIONS**

















### **TOLEDO**









ROOM 5/5 BATHROOM 2/5

#### **■** CONSTRUCTION

- MDF rails covered with two HDF boards
- stabilising filling 'honeycomb core'

#### FINISHING

- HDF board covered with foil or CPL
- door leaf made in SOFT or STANDARD CPL technology

#### **■** HARDWARE

- SOFT: two screw pintle hinges
- STANDARD CPL: three screw pintle hinges
- lock for regular key, patent lock or bathroom lock

#### **■** GLAZING

decormat milk glass

#### ■ ACCESSORIES TO BE CHARGED ADDITIONALLY

#### homalight board (not available in door leaf 100 wide)

price includes third hinge fixed in standard

#### ventilation grill

#### plastic ventilation sleeves to room and plain door leafs

to bathroom door leafs when ordered without holes for sleeves

#### ventilation cut

#### door leaf 100 wide

price includes third hinge fixed in standard

#### additional hinge

(does not concern CPL, homalight board and door leaf 100 wide)

#### hinge casings

colours: gold, polished chrome, matt chrome, patina; price for one casing set

#### **AVAILABLE TECHNOLOGICAL SOLUTIONS**







STANDARD CP TECHNOLOGY







### BROADWAY

**INTERIOR DOORS** 







ROOM 6/6

#### ■ CONSTRUCTION

- MDF rails covered with two HDF boards
- stabilising filling 'honeycomb core'

#### FINISHING

- HDF board covered with foil or CPL
- door leaf made in SOFT or STANDARD CPL technology

#### **■** HARDWARE

- SOFT: two screw pintle hinges
- STANDARD CPL: three screw pintle hinges
- lock for regular key, patent lock or bathroom lock

#### **■** GLAZING

decormat milk glass

#### ■ ACCESSORIES TO BE CHARGED ADDITIONALLY

#### homalight board (not available in door leaf 100 wide)

price includes third hinge f xed in standard

#### ventilation grill

#### plastic ventilation sleeves to room and plain door leafs

to bathroom door leafs when ordered without holes for sleeves

#### ventilation cut

#### door leaf 100 wide

price includes third hinge **f** xed in standard

#### additional hinge

(does not concern CPL, homalight board and door leaf 100 wide)

#### hinge casings

colours: gold, polished chrome, matt chrome, patina; price for one casing set

AVAILABLE WIDTHS

#### **AVAILABLE TECHNOLOGICAL SOLUTIONS**









### **GALERIA**

**INTERIOR DOORS** 







ROOM 3/3 BATHROOM 1/3

#### CONSTRUCTION

- MDF rails covered with two HDF boards
- stabilising filling 'honeycomb core'

#### **■** FINISHING

- HDF board covered with foil or CPL
- door leaf made in SOFT or STANDARD CPL technology

#### **■** HARDWARE

- SOFT: two screw pintle hinges
- STANDARD CPL: three screw pintle hinges
- lock for regular key, patent lock or bathroom lock

#### GLAZING

decormat milk glass

#### ■ ACCESSORIES TO BE CHARGED ADDITIONALLY

#### homalight board (not available in door leaf 100 wide)

price includes third hinge fixed in standard

#### ventilation grill

#### plastic ventilation sleeves to room and plain door leafs

to bathroom door leafs when ordered without holes for sleeves

#### door leaf 100 wide

price includes third hinge fixed in standard

#### additional hinge

(does not concern CPL, homalight board and door leaf 100 wide)

colours: gold, polished chrome, matt chrome, patina; price for one casing set

#### AVAILABLE TECHNOLOGICAL SOLUTIONS

















### CORTINA

**INTERIOR DOORS** 







ROOM 3/3 BATHROOM 1/3 PLAIN 0/3

#### ■ CONSTRUCTION

- MDF rails covered with two HDF boards
- stabilising filling 'honeycomb core'

#### FINISHING

- HDF board covered with foil or CPL
- door leaf made in SOFT or STANDARD CPL technology

#### **■** HARDWARE

- SOFT: two screw pintle hinges
- STANDARD CPL: three screw pintle hinges
- lock for regular key, patent lock or bathroom lock

#### **■** GLAZING

– decormat milk glass

#### ■ ACCESSORIES TO BE CHARGED ADDITIONALLY

#### homalight board (not available in door leaf 100 wide)

price includes third hinge  $\mathbf{f}$  xed in standard

#### ventilation grill

#### plastic ventilation sleeves to room and plain door leafs

to bathroom door leafs when ordered without holes for sleeves

#### ventilation cut

#### door leaf 100 wide

price includes third hinge **f** xed in standard

NUT CPL

#### additional hinge

(does not concern CPL, homalight board and door leaf 100 wide)

#### hinge casings


**GREY OAK CPL** 

colours: gold, polished chrome, matt chrome, patina; price for one casing set

#### **AVAILABLE TECHNOLOGICAL SOLUTIONS**

ACACIA CPL





**VENGE CPL** 













ROOM 3/3

#### CONSTRUCTION

- MDF rails covered with two HDF boards
- stabilising filling 'honeycomb core'

#### FINISHING

- HDF board covered with foil or CPL
- door leaf made in SOFT or STANDARD CPL technology

#### **■** HARDWARE

- SOFT: two screw pintle hinges
- STANDARD CPL: three screw pintle hinges
- lock for regular key, patent lock or bathroom lock

#### **■** GLAZING

decormat milk glass

#### ■ ACCESSORIES TO BE CHARGED ADDITIONALLY

#### homalight board (not available in door leaf 100 wide)

price includes third hinge fixed in standard

#### Additional upper latch lock

(available only in SOFT PLAIN door leaf 80 and 90 wide together with homalight board filling)

#### ventilation grill

#### plastic ventilation sleeves to room and plain door leafs

to bathroom door leafs when ordered without holes for sleeves

#### ventilation cut

door leaf 100 wide price includes third hinge fixed in standard

additional hinge (does not concern CPL, homalight board and door leaf 100 wide)

hinge casings colours: gold, polished chrome, matt chrome, patina; price for one casing set

AVAILABLE WIDTHS

#### AVAILABLE TECHNOLOGICAL SOLUTIONS











# **INTERIOR DOORS**







ROOM 3/3

CONSTRUCTION

- MDF rails covered with two HDF boards
- stabilising filling 'honeycomb core'

#### **■** FINISHING

- HDF board covered with foil or CPL
- door leaf made in SOFT or STANDARD CPL technology

#### **■** HARDWARE

- SOFT: two screw pintle hinges
- STANDARD CPL: three screw pintle hinges
- lock for regular key, patent lock or bathroom lock

#### GLAZING

decormat milk glass

#### ■ ACCESSORIES TO BE CHARGED ADDITIONALLY

#### homalight board (not available in door leaf 100 wide)

price includes third hinge  $\mathbf{f}$  xed in standard

#### ventilation grill

#### plastic ventilation sleeves to room and plain door leafs

to bathroom door leafs when ordered without holes for sleeves

#### ventilation cut

#### door leaf 100 wide

price includes third hinge f xed in standard

#### additional hinge

(does not concern CPL, homalight board and door leaf 100 wide)

#### hinge casings

colours: gold, polished chrome, matt chrome, patina; price for one casing set

#### AVAILABLE TECHNOLOGICAL SOLUTIONS





























# **CLASIC**INTERIOR DOORS







ROOM 3/3

#### CONSTRUCTION

- MDF rails covered with two HDF boards
- stabilising filling 'honeycomb core'

#### **■** FINISHING

- lacquered HDF board
- ATTENTION: frames (made in foil) might slightly differ in colour tone with the LAK colour

#### **■** HARDWARE

- two screw pintle hinges
- lock for regular key, patent lock or bathroom lock

#### **■** GLAZING

– oak bark glass

#### ■ ACCESSORIES TO BE CHARGED ADDITIONALLY

#### homalight board (not available in door leaf 100 wide)

price includes third hinge fixed in standard

#### ventilation grill

#### plastic ventilation sleeves to room and plain door leafs

to bathroom door leafs when ordered without holes for sleeves

#### ventilation cut

#### door leaf 100 wide

price includes third hinge fixed in standard

#### additional hinge

(does not concern CPL, homalight board and door leaf 100 wide)

#### hinge casings

colours: gold, polished chrome, matt chrome, patina; price for one casing set

#### **AVAILABLE TECHNOLOGICAL SOLUTIONS**









# HERSE INTERIOR ENTRANCE DOOR LEAF



#### **■ GENERAL INFORMATION**

HERSE door leaf is used in the housing and public utility as the entrance door. HERSE door leaf together with the fixed frame and oak threshold has the insulating power of Rw = 29dB

#### CONSTRUCTION

- MDF rails covered with two HDF boards
- special HOMALIGHT board filling
- strenghtened with massive steel flat bar 5 mm thick
- thickness 46 mm
- additional gasket

#### **■** FINISHING

- HDF board covered with foil

#### ■ HARDWARE

- three screw pintle hinges regulated horizontally
- two locks for patent latch
- possibility to select only lower latch lock (no change in price)
- or without three antiburglary contact bolts on the hinge side if wished

#### GLAZING

- no glass

#### **■ HERSE ADJUSTABLE AND FIXED FRAME**

- extra charge 20% to the prices of adjustable and fixed frames (last page of the catalogue)
   ATTENTION: fixed frame is edge rectangular
- no extra charge if upper lock or antiburglary bolts are note selected (prices of standard frames can be found at last page of the catalogue)

#### ■ ACCESSORIES TO BE CHARGED ADDITIONALLY

peep-hole

oak threshold with gasket 55 mm thick

#### **■ INTERSECTION OF HERSE DOOR LEAF** LATCH LOCK OAK THRESHOLD Intersection of oak threshold 55 Lengths of aok threshold: - 802 mm for width,,80" homalight additional gasket 902 mm for width "90" PEEP-HOLE board steel strengthening Intersection of fixed frame flat bar 5 mm thick SOFT technology



AVAILABLE WIDTHS



90

### **HERSE LUX**

INTERIOR ENTRANCE DOOR LEAF



#### GENERAL INFORMATION

HERSE door leaf is used in the housing and public utility as the entrance door.

HERSE door leaf together with the fixed frame and oak threshold has the insulating power of Rw = 29dB

#### CONSTRUCTION

- MDF rails covered with two HDF boards
- special HOMALIGHT board filling
- strenghtened with massive steel flat bar 5 mm thick
- thickness 46 mm
- additional gasket

#### **■** FINISHING

- HDF board covered with foil
- aluminium moldings on both sides of the door leaf

#### HARDWARE

- three screw pintle hinges regulated horizontally
- two locks for patent latch
- possibility to select only lower latch lock (no change in price)
- or without three antiburglary contact bolts on the hinge side if wished

#### **■** GLAZING

- no glass

#### **■ HERSE ADJUSTABLE AND FIXED FRAME**

 extra charge 20% to the prices of adjustable and fixed frames (last page of the catalogue)

#### ATTENTION: fixed frame is edge rectangular

 no extra charge if upper lock or antiburglary bolts are note selected (prices of standard frames can be found at last page of the catalogue)

#### ■ ACCESSORIES TO BE CHARGED ADDITIONALLY

peep-hole

oak threshold with gasket 55 mm thick

Exemplary pictures concerning technical details on HERSE are on previous page.








### HYBRID DOORS

INTERIOR DOORS




# **BOSTON**









### ■ CONSTRUCTION

- door leaf made in TWIN hybrid technology
- thickness of door leaf 42 mm
- additional gasket

### **■** FINISHING

- two genuine MDF board pressed and covered with PVC

### **■** HARDWARE

- three silver screw pintle hinges regulated horizontally
- lock for regular key, patent lock or bathroom lock

#### GLAZING

– VSG 331 milk protective glass

### ■ ACCESSORIES TO BE CHARGED ADDITIONALLY

### ventilation cut

**BOSTON 4** 

plastic ventilation sleeves to room and plain door leafs

metal ventilation sleeves of round or square shape (4 pieces)

FINISHING: brushed nickel or patina

BOSTON 5

### ventilation grill

door leaf 100 wide

### hinge casings

COLOURS: gold, polished chrome, matt chrome, patina; price for one casing set

BOSTON 6

### **AVAILABLE TECHNOLOGICAL SOLUTIONS**

DD - DOUBLE DO

### AVAILABLE WIDTHS














### **■** CONSTRUCTION

- door leaf made in TWIN hybrid technology
- thickness of door leaf 42 mm
- additional gasket

### FINISHING

- two genuine MDF board pressed and covered with PVC

### **■** HARDWARE

- three silver screw pintle hinges regulated horizontally
- lock for regular key, patent lock or bathroom lock

### **■** GLAZING

- VSG 331 milk protective glass

### **■** ACCESSORIES TO BE CHARGED ADDITIONALLY

ventilation cut
plastic ventilation sleeves to room and plain door leafs
metal ventilation sleeves of round or square shape (4 pieces)
FINISHING: brushed nickel or patina
ventilation grill
door leaf 100 wide
hinge casings
COLOURS: gold, polished chrome, matt chrome, patina; price for one casing set

### **AVAILABLE TECHNOLOGICAL SOLUTIONS**

DD - DOUBLE DOORS






# **MONTANA**

#### INTERIOR DOORS





### CONSTRUCTION

- door leaf made in TWIN hybrid technology
- thickness of door leaf 42 mm
- additional gasket

### FINISHING

– two genuine MDF board pressed and covered with PVC

#### HARDWARE

- three silver screw pintle hinges regulated horizontally
- lock for regular key, patent lock or bathroom lock

#### ■ GLAZING

– VSG 331 milk protective glass

### ■ ACCESSORIES TO BE CHARGED ADDITIONALLY

ventilation cut
plastic ventilation sleeves to room and plain door leafs
metal ventilation sleeves of round or square shape (4 pieces)
FINISHING: brushed nickel or patina
ventilation grill
door leaf 100 wide

hinge casings

COLOURS: gold, polished chrome, matt chrome, patina; price for one casing set

### **AVAILABLE TECHNOLOGICAL SOLUTIONS**

DD - DOUBLE DO






AVAILABLE WIDTHS

# NEVADA

INTERIOR DOORS





### CONSTRUCTION

- door leaf made in TWIN hybrid technology
- thickness of door leaf 42 mm
- additional gasket

### FINISHING

- two genuine MDF board pressed and covered with PVC

### **■** HARDWARE

- three silver screw pintle hinges regulated horizontally
- lock for regular key, patent lock or bathroom lock

### **■** GLAZING

- VSG 331 milk protective glass

### **■** ACCESSORIES TO BE CHARGED ADDITIONALLY

ventilation cut

plastic ventilation sleeves to room and plain door leafs

metal ventilation sleeves of round or square shape (4 pieces)

FINISHING: brushed nickel or patina

ventilation grill

door leaf 100 wide

hinge casings

COLOURS: gold, polished chrome, matt chrome, patina; price for one casing set

### **AVAILABLE TECHNOLOGICAL SOLUTIONS**


DD - DOUBLE DOORS

### **AVAILABLE WIDTHS**60 70 80 90 10









### **■** CONSTRUCTION

- door leaf made in TWIN hybrid technology
- thickness of door leaf 42 mm
- additional gasket

### **■** FINISHING

– two genuine MDF board pressed and covered with PVC

#### HARDWARE

- three silver screw pintle hinges regulated horizontally
- lock for regular key, patent lock or bathroom lock

#### ■ GLAZING

– VSG 331 milk protective glass

### ■ ACCESSORIES TO BE CHARGED ADDITIONALLY

ventilation cut

plastic ventilation sleeves to room and plain door leafs

metal ventilation sleeves of round or square shape (4 pieces)

FINISHING: brushed nickel or patina

ventilation grill

door leaf 100 wide

hinge casings

COLOURS: gold, polished chrome, matt chrome, patina; price for one casing set

### **AVAILABLE TECHNOLOGICAL SOLUTIONS**

DD - DOUBLE DO

### AVAILABLE WIDTHS









0HI04





# **OMAHA**







### CONSTRUCTION

- door leaf made in TWIN hybrid technology
- thickness of door leaf 42 mm
- additional gasket

### FINISHING

– two genuine MDF board pressed and covered with PVC

### **■** HARDWARE

- three silver screw pintle hinges regulated horizontally
- lock for regular key, patent lock or bathroom lock

### **■** GLAZING

- VSG 331 milk protective glass

### ■ ACCESSORIES TO BE CHARGED ADDITIONALLY

OMAHA 6

OMAHA 5

ventilation cut
plastic ventilation sleeves to room and plain door leafs
metal ventilation sleeves of round or square shape (4 pieces)
FINISHING: brushed nickel or patina
ventilation grill
door leaf 100 wide
hinge casings
COLOURS: gold, polished chrome, matt chrome, patina; price for one casing set

AVAILABLE WIDTHS

### **AVAILABLE TECHNOLOGICAL SOLUTIONS**

DD - DOUBLE DOORS

TWIN





# **DALLAS**







### CONSTRUCTION

- door leaf made in TWIN hybrid technology
- thickness of door leaf 42 mm
- additional gasket

### **■** FINISHING

– two genuine MDF board pressed and covered with PVC

#### HARDWARE

- three silver screw pintle hinges regulated horizontally
- lock for regular key, patent lock or bathroom lock

#### GLAZING

– VSG 331 milk protective glass

### ■ ACCESSORIES TO BE CHARGED ADDITIONALLY

ventilation cut
plastic ventilation sleeves to room and plain door leafs
metal ventilation sleeves of round or square shape (4 pieces)
FINISHING: brushed nickel or patina
ventilation grill
door leaf 100 wide
hinge casings
COLOURS: gold, polished chrome, matt chrome, patina; price for one casing set

### **AVAILABLE TECHNOLOGICAL SOLUTIONS**

DD - DOUBLE DO

### AVAILABLE WIDTHS














### ■ CONSTRUCTION

- door leaf made in TWIN hybrid technology
- thickness of door leaf 42 mm
- additional gasket

### **■** FINISHING

- two genuine MDF board pressed and covered with PVC

### **■** HARDWARE

- three silver screw pintle hinges regulated horizontally
- lock for regular key, patent lock or bathroom lock

### **■** GLAZING

- VSG 331 milk protective glass

### ■ ACCESSORIES TO BE CHARGED ADDITIONALLY

ventilation cut

plastic ventilation sleeves to room and plain door leafs

metal ventilation sleeves of round or square shape (4 pieces)

FINISHING: brushed nickel or patina

ventilation grill

door leaf 100 wide

hinge casings

COLOURS: gold, polished chrome, matt chrome, patina; price for one casing set

### **AVAILABLE TECHNOLOGICAL SOLUTIONS**

DD - DOUBLE DOORS

# **AVAILABLE WIDTHS**60 70 80 90 100



## **KNOBS**

### **■ HOPPE knobs**



### KNOB FOR BOARD, STILE AND TWIN DOOR LEAFS





F1 NATURAL ALUMINIUM



















HOPPE is a leading company on European marketin terms of development, manufacturing and sales of door and window hardware systems made of aluminium and rustproof iron and brass. All HOPPE products are 10-year guaranteed for utility and exploitation.



■ STOCKHOLM duraplus series











### KNOB FOR BOARD, STILE AND TWIN DOOR LEAFS

### **HOPPE - quick-coupling plus**

it's a set of high-grade steel knobs to interior doors with flat rosette 2 mm thick, examined and certified in accordanc with DIN EN 1906 (category of exploitation 3), HOPPE knobs with quick-coupling plus system (full HOPPE pivot), close knob of high-grade steel with stabilising pins, the assembly without the use of screws.

### **■ TUPAI knobs**

F69 HIGH-GRADE STEEL



### KNOB FOR BOARD, STILE AND TWIN DOOR LEAFS



GLOSSY CHROME



























**BRUSHED NICKEL** 







### AXA knobs





### KNOB TO HERSE AND HERSE LUX DOOR LEAFS












46

### TECHNICAL INFORMATION




Our priorities are: quality, solid and reliable product, reasonable price and providing possibility to manage the conf guration of a given model in terms of technology [STANDARD, SOFT, STILE, TWIN], decors, widths, f lling, lock, ventilation and the choice of desired design.

ERKADO of ers, among others, very rich range of sliding system solutions both in-wall as well as on-wall, accompanied with all necessary accessories and technical support from our side. Other products that we are very much proud of are double doors and GRAF glass doors.

### ■ BOARD TECHNOLOGY: STANDARD AND SOFT

**CONSTRUCTION:** MDF rails covered with two HDF boards

WYPEŁNIENIE: stabilising filling 'honeycomb core'



HONEYCOMB CORE AND HOMALIGHT BOARD GO INLY WITH BOARD TECHNOLOGY DOOR LEAFS FOR HOMALIGHT BOARD WE APPLY ADDITIONAL THIRD HINGE

### **FINISHING:**


- HDF board covered with foil or CPL
- door leaf made in SOFT or STANDARD CPL technology

### HARDWARE:

- two screw pintle hinges (honeycomb core stabilising filling)
- trzy zawiasy czopowe wkr cane (homalight board filling)
- lock for regular key, patent lock or bathroom lock

### **GLAZING:**

- decormat milk glass





SOFT TECHNOLOGY is based on wrapping the flat surface as well as the door rebate with one piece of foil whose connection is performed in only one invisible point.

Doors made in SOFT technology have no sharp edges what makes them look more esthetic and modern-like.

The door leaf is covered with finish foil of higher resistance to scratches and so it improves and greatly influences on intensive exploitation. SOFT door leaf has additional vertical rails; it makes the construction more solid and this has significant importance with high glazed door leafs.



1732

644, 744, 844, 944, 1044 617, 717, 817, 917, 1017



STANDARD CPL TECHNOLOGY is based on wrapping the flat surface with the laminate CPL 0.2 mm thick highly resistant to scratches and friction.

CPL laminate has numerous techical advantages. It is characterised with high resistance to hits, friction, scratches as well as high temperatures and UV radiation. Applying this type of material allows for the exploitation of doors in so called 'hard' spaces [open to high temperatures, humidity or excessive use]. In door leafs made in STANDARD CPL technology we apply three hinges.



# CHNICAL INFORMATIO

### **TECHNICAL INFORMATION**

### ■ STILE TECHNOLOGY

**CONSTRUCTION:** MDF rails and stiles covered with GREKO foil or CPL. **WYPEŁNIENIE:** HDF boards 4 mm thick covered with GREKO foil or CPL

#### **HARDWARE:**

- three silver pintle hinges regulated horizontally
- lock for regular key, patent lock or bathroom lock

#### **GLAZING:**

- hardened milk glass lub VSG 221 milk protective glass


#### STILE TECHNOLOGY

### STILE TECHNOLOGY

STILE door leafs are characterised with exceptionally solid construction because not only the rail but stiles are all made of full MDF. The production involves new TECHNOLOGY of wrapping the door leaf without visible connections of the foil. Bigger weight of door leaf, solid construction, lack of visible foil connections, using two pintle hinges and professional production process are only some of the factors influencing greatly upon the esthetics and quality of the product.



STILE CPL TECHNOLOGY is based on wrapping the flat surface and well as door rebate with the laminate CPL 0.2 mm thick highly resistant to scratches and friction. CPL laminate has numerous techical advantages. It is characterised with high resistance to hits, friction, scratches as well as high temperatures and UV radiation. Applying this type of material allows for the exploitation of doors in so called 'hard' spaces [open to high temperatures, humidity or excessive use].





### ■ TWINTECHNOLOGY

**CONSTRUCTION:** two genuine MDF board pressed and covered with PVC

#### **HARDWARE:**


- three silver pintle hinges regulated horizontally
- lock for regular key, patent lock or bathroom lock


#### **GLAZING:**

VSG 331 milk protective glass



CONSTRUCTION of hybrid TWIN door leafs allows for receiving much greater esthetics as well as resistance to excessive use. Two genuine boards covered with PVC foil 0.7 mm thick make up for a unique and solid construction resistant to scratches and operation of extreme temperatures, humidity and detergents.







### TECHNICAL INFORMATION


### FRAMES


- Adjustable and fixed frame could be applied to all kinds of ERKADO interior doors made in STANDARD, SOFT, STILE and TWIN technologies.
- The frame is made of high quality MDF and covered with solid foil imitating wood structure.
- Depending on the technology, the frames are respectively covered with the following: finish foil, GREKO foil, CPL laminate and PVC
- All frames to STILE, board doors, STANDARD CPL and hybrid TWIN door leafs have additional third hinge.
- Each set of the adjustable and fixed frame consists of the following: elements of the frame, bolts and screws. The particular elements have ready holes made in the connection spaces.
- Each set includes guarantee card and the instruction of assembly.



#### DOUBLE DOOR FRAME







GLASS DOOR FRAME

### TUNNEL TYPE OF FRAME

Tunnel frame is an adjustable frame or fixed frame without any hardware. It is constructed with one horizontal and two vertical beams. It can be applied to decorate in-door spaces as the element of protection to wall edges. Nevertheless more often it is used for the esthetical reasons as the decoration of the whole interior.

Adjustable or fixed tunnel frame are also used in ERKADO sliding systems.

DEPENDING ON THE SYSTEM WE DIFFERENTIATE:

TUNNEL TO SP1N	TUNNEL FRAME TO SINGLE ON-WALL SLIDING SYSTEM
TUNNEL TO SP2N	TUNNEL FRAME TO DOUBLE ON-WALL SLIDING SYSTEM
<b>TUNNEL TO SP1C.100</b>	TUNNEL FRAME TO SINGLE IN-WALL SLIDING SYSTEM TO CASSETTE 100 WIDE
<b>TUNNEL TO SP2C.100</b>	TUNNEL FRAME TO DOUBLE IN-WALL SLIDING SYSTEM TO CASSETTE 100 WIDE
<b>TUNNEL TO SP1C.125</b>	TUNNEL FRAME TO SINGLE IN-WALL SLIDING SYSTEM TO CASSETTE 125 WIDE
<b>TUNNEL TO SP2C.125</b>	TUNNEL FRAME TO DOUBLE IN-WALL SLIDING SYSTEM TO CASSETTE 125 WIDE
TUNNEL TO SP1C.ZN	TUNNEL FRAME TO SINGLE IN-WALL SLIDING SYSTEM TO WALL MOUNTING
TUNNEL TO SP2C.ZN	TUNNEL FRAME TO DOUBLE IN-WALL SLIDING SYSTEM TO WALL MOUNTING

### **TECHNICAL INFORMATION**

### **■ VENTILATION**



PLASTIC VENTILATION SLEEVES TO **BOARD DOOR LEAFS** 



PLASTIC VENTILATION SLEEVES TO STILE AND TWIN DOOR LEAFS



STEEL VENTILATION SLEEVES OF ROUND AND SQUARE SHAPE TO STILE AND TWIN DOOR LEAFS



**HEIGHT OF CUT** WIDTH OF CUT (mm) (mm) 320 32 420 32

32

32

32

# VENTILATION GRILL

### DOOR SHORTENING

**DOOR WIDTH** 

"60"

"70"

"80"

"90"

"100"


It is possible to shorten the door leaf, on one's own, maximum up to 50 mm. ATTENTION: it is not possible to shorten the following: FRAGI, double doors, non-rebate doors to sliding systems and glass doors.


520


620

720

### **HARDWARE**







Exemplary calculation of the proper size of patent lock for board and stile door leafs (40 mm) with the thickness of face G=7 mm A/B=(C+G+3)/(D+G+3) A/B=(15+7+3)/(25+7+3) A/B=25/35

■ VSG 221, 331	, 441 MILK GLASS		
_			
matt foil	TO STILE AND TWIN DOOR LEAFS	smoot	h glass


DOOR TYPE	DOOR THICKNESS	DOOR LOCK SETTINGS (CD)	RECOMMENDED PATENT LOCK SIZE (AB)
BOARD, STILE	40 mm	15/25	25/35
TWIN	42 mm	15/27	25/37
HERSE, HERSE LUX	46 mm	15/31	25/41

### **■** HINGE CASINGS



GOLDS, POLISHED CHROME, MATT CHROME, PATINA

### DIRECTIONS OF OPENING



		ADJUSTABLE TUNNEL FRAMES												
	"60"	"70"	<b>"80</b> "	"90"	"100"	"110"	"120"	"130"	"140"	"150"	"160"	"170"	"180"	"190"
Width of hole in wall	686	786	886	986	1086	1186	1286	1386	1486	1586	1686	1786	1886	1986
Tunnel exterior size	646	746	846	946	1046	1146	1246	1346	1446	1546	1646	1746	1846	1946
Tunnel clear width	602	702	802	902	1002	1102	1202	1302	1402	1502	1602	1702	1802	1902
Tunnel covering width	744	844	944	1044	1144	1244	1344	1444	1544	1644	1744	1844	1944	2044
Height of hole in wall	2063	2063	2063	2063	2063	2063	2063	2063	2063	2063	2063	2063	2063	2063
Tunnel exterior height	2043	2043	2043	2043	2043	2043	2043	2043	2043	2043	2043	2043	2043	2043
Tunnel clear height	2021	2021	2021	2021	2021	2021	2021	2021	2021	2021	2021	2021	2021	2021
Tunnel covering height	2092	2092	2092	2092	2092	2092	2092	2092	2092	2092	2092	2092	2092	2092

# IN-WALL SLIDING SYSTEM

### ■ ERKADO offers the following types of in-wall sliding systems:

SP1C.100	SINGLE IN-WALL SLIDING SYSTEM TO CASSETTE 100 WIDE available only to STILE door leafs and model UNO plain
SP2C.100	DOUBLE IN-WALL SLIDING SYSTEM TO CASSETTE 100 WIDE available only to STILE door leafs and model UNO plain
SP1C.125	SINGLE IN-WALL SLIDING SYSTEM TO CASSETTE 125 WIDE
SP2C.125	DOUBLE IN-WALL SLIDING SYSTEM TO CASSETTE 125 WIDE
SP1C.ZN	SINGLE IN-WALL SLIDING SYSTEM TO WALL MOUNTING TO CASSETTE 125 WIDE
SP2C.ZN	DOUBLE IN-WALL SLIDING SYSTEM TO WALL MOUNTING TO CASSETTE 125 WIDE

### ■ Standard set of in-wall single/double sliding system cincludes the following elements:

- aluminium cassette [LEON] SP1 price of cassette to single system
- aluminium cassette [LEON] SP2 price of cassette to double system-
- non-rebate door leaf/two non-rebates door leafs price of standard door leaf/prices of two door leafs



### ■ ACCESSORIES TO BE CHARGED ADDITIONALLY

### hook lock with hardware

available only to: SP1C.100, SP1C.125, SP1C.ZN

### round or oval holder in silver or gold colour

available only to: SP1C.100, SP2C.100, SP1C.125, SP2C.125, SP1C.ZN, SP2C.ZN

system that allows for opening and closing two non-rebate door leafs equally at the same time by using only one door leaf. available only to: SP2C.100, SP2C.125, SP2C.ZN







SILVER

SILVER

**OVAL HOLDERS** 





**HOOK LOCK OVAL HOLDER** 




**HOOK LOCK** ROUND HOLDER






HOOK LOCK COMPRISES TWO SILVER HOLDERS

### SINGLE IN-WALL SLIDING SYSTEMS




Only to STILE door leafs and model UNO plain


### SP1C.125




■ changeable scope 126 - 199 mm



The feather of door square is cut to a given scope of adjustment by the Client




the scope does not include mounting of the cassette 125 wide







			IN-WALL SLIDING SYSTEM								
		"60"	"70"	"80"	"90"	"100"	2 x "60"	2 x "70"	2 x "80"	2 x "90"	2 x "100"
s1	Width of door leaf	644	744	844	944	1044	644	744	844	944	1044
s2	Door frame clear width	602	702	802	902	1002	1202	1402	1602	1802	2002
s3	Width of cassette	1318	1518	1718	1918	2118	2538	2938	3338	3738	4138
s4	Frame covering width	744	844	944	1044	1144	1344	1544	1744	1944	2144
<b>s</b> 5	Cassette hole width	655	755	855	955	1055	1255	1455	1655	1855	2055
h1	Height of door leaf	2030	2030	2030	2030	2030	2030	2030	2030	2030	2030
h2	Door frame clear height	2092	2092	2092	2092	2092	2092	2092	2092	2092	2092
h3	Height of cassette	2115	2115	2115	2115	2115	2115	2115	2115	2115	2115
h4	Door frame clear height	2021	2021	2021	2021	2021	2021	2021	2021	2021	2021

### DOUBLE IN-WALL SLIDING SYSTEMS






Only to STILE door leafs and model UNO plain



The feather of door square is cut to a given scope of adjustment by the Client



### ON-WALL SLIDING SYSTEM

### ON-WALL SLIDING SYSTEM

### SINGLE **SP1N**

### DOUBLE SP2N

#### **Price comprises:**

Aluminium rail with masking box in the colour of door leaf:

- 200 cm long to doors 90, 100
- 180 cm long to door 80
- 150 cm long to doors 70, 60

### Available configurations of on-wall sliding systems:

- rail with masking box
- rail with masking box + borderer with gasket (only to SP1N)
- rail with masking box + tunnel framerail with masking box + tunnel frame + borderer with gasket (only to SP1N)

It is not possible to have ventilation cut in non-rebated door leafs to in-wall sliding system.

### ■ ACCESSORIES TO BE CHARGED ADDITIONALLY

Adjustable tunnel frame in the price of adjustable frame

### hook lock with hardware

only to single system

round or oval holder in gold or silver colour

set comprises two pieces

### synch system

system that allows for opening and closing two non-rebate door leafs equally at the same time by using only one door leaf.



**DLGON** 





					SL	IDING SYSTE	M WITH FRA	ME					
			SINGL	E DOOR LEAF	SP1N		DOUBLE DOOR LEAFS SP2N						
		"60"	"70"	"80"	"90"	"100"	"60" x2	"70" x2	"80" x2	"90" x2	"100″x2		
s1	Width of door leaf	644	744	844	944	1044	1288	1488	1688	1888	2088		
s2	Width of hole in wall	686	786	886	986	1086	1286	1486	1686	1886	2086		
s3	Frame width	646	746	846	946	1046	1246	1446	1646	1846	2046		
s4	Door frame clear width	602	702	802	902	1002	1202	1402	1602	1802	2002		
<b>s5</b>	Frame covering width	744	844	944	1044	1144	1344	1544	1744	1944	2144		
h1	height of door leaf	2030	2030	2030	2030	2030	2030	2030	2030	2030	2030		
h2	Height of hole in wall	2063	2063	2063	2063	2063	2063	2063	2063	2063	2063		
h3	Frame height	2043	2043	2043	2043	2043	2043	2043	2043	2043	2043		
h4	Door frame clear height	2021	2021	2021	2021	2021	2021	2021	2021	2021	2021		
h5	Frame covering height	2092	2092	2092	2092	2092	2092	2092	2092	2092	2092		

			SLIDING SYSTEM WITHOUT FRAME									
			SIN	IGLE DOOR L	EAF		DOUBLE DOOR LEAF					
		"60"	"70"	"80"	"90"	"100"	"60" x2	"70" x2	"80" x2	"90" x2	"100" x2	
s1	Width of door leaf	644	744	844	944	1044	1288	1488	1688	1888	2088	
s2	Width of hole in wall	602	702	802	902	1002	1202	1402	1602	1802	2002	
h1	Height of door leaf	2030	2030	2030	2030	2030	2030	2030	2030	2030	2030	
h6	Height of hole in wall	2020	2020	2020	2020	2020	2020	2020	2020	2020	2020	


### ON-WALL SLIDING SYSTEM


### ON-WALL SLIDING SYSTEM WITH THE FRAME





### ■ ON-WALL SLIDING SYSTEM WITHOUT THE FRAME





### **DOUBLE DOORS**

### Practical information:

### DD - DOUBLE DOORS

- In double doors the homalight filling is available and is extra charged
- Double doors are available for all models in STANDARD, SOFT and STILE technology in colours and configurations respectively
- Passive door leaf is equipped with sash stops with door latch
- Passive door leaf is equipped with door latches
- 'Dostawka' is available only in honey comb core filling and vertical ringing

### **AVAILABLE WIDTHS:**

**SOFT** and **STANDARD CPL DOUBLE DOOR** from 120 to 190 configurations with plain side door leaf



**STILE, STILE CPL** and **HYBRID TWIN DOUBLE DOOR** from 120 to 190 and configurations with plain side door leaf

60 + 40 70 + 40 80 + 40 90 +	40	100+	40
------------------------------	----	------	----

 $\mbox{\ensuremath{^{*}}}$  Side door leaf ('dostawka') is available only in STANDARD technology as full plain

### ■ The price of double doors:

• SOFT and STANDARD CPL: WORKING DOOR LEAF 60 70 80 90 100 + PASSIVE DOOR LEAF 60 70 80 90
• STILE: WORKING DOOR LEAF 60 70 80 90 100 + PASSIVE DOOR LEAF 60 70 80 90

• TWIN: WORKING DOOR LEAF 60 70 80 90 100 + PASSIVE DOOR LEAF 60 70 80 90

Price of double door leaf with the sash

door leaf price x 2

-

• SOFT and STANDARD CPL: WORKING DOOR LEAF 60 70 80 90 100 + PASSIVE PLAIN SIDE LEAFS 30 40 50

• STILE: WORKING DOOR LEAF 60 70 80 90 100 + PASSIVE PLAIN SIDE LEAF 40

• TWIN: WORKING DOOR LEAF 60 70 80 90 100 + PASSIVE PLAIN SIDE LEAF 40

Price of double door leaf with "dostawka" and the sash

door leaf price

side leaf with door sashes

door sashes

- PASSIVE PLAIN SIDE LEAF ('dostawka') is available only in widths: 30 40 50 for STANDARD and STANDARD CPL and in width 40 for STILE and TWIN
- The price of double door fixed or adjustable frame + 30%

### DOUBLE DOORS - SYMETRIC



DOUBLE DOORS

- NON-SYMETRIC





DOUBLE DOORS
- SIDE LEAF ['dostawka']




# **DOUBLE DOORS**


### ■ DOUBLE DOORS WITH **ADJUSTABLE FRAME**





### ■ DOUBLE DOORS WITH **FIXED FRAME**







	ADUICTADI E EDAME		DOUBLE DOORS (DIMENSIONS OF TUNNEL FRAME, SEE PAGE 50)										
	ADJUSTABLE FRAME	"90"	"100"	"110"	<i>"</i> 120"	"130"	<i>"</i> 140"	"150"	<i>"</i> 160"	<i>"</i> 170"	"180"	"190"	
A+B	Width of door leaf	960	1060	1160	1260	1360	1460	1560	1660	1760	1860	1960	
s1	Width of hole in wall	1006	1106	1206	1306	1406	1506	1606	1706	1806	1906	2006	
s2	Frame width	966	1066	1166	1266	1366	1466	1566	1666	1766	1866	1966	
s3	Door frame clear width	922	1022	1122	1222	1322	1422	1522	1622	1722	1822	1922	
s4	Frame covering width	1064	1164	1264	1364	1464	1564	1664	1764	1864	1964	2064	
h1	Height of door leaf	2030	2030	2030	2030	2030	2030	2030	2030	2030	2030	2030	
h2	Height of hole in wall	2063	2063	2063	2063	2063	2063	2063	2063	2063	2063	2063	
h3	Frame height	2043	2043	2043	2043	2043	2043	2043	2043	2043	2043	2043	
h4	Door frame clear height	2021	2021	2021	2021	2021	2021	2021	2021	2021	2021	2021	
h5	Frame covering height	2092	2092	2092	2092	2092	2092	2092	2092	2092	2092	2092	

	FIVED FRAME					D	OUBLE DOO	RS				
	FIXED FRAME	"90"	"100"	"110"	"120"	"130"	<i>"</i> 140"	"150"	"160"	"170"	"180"	"190"
A+B	Width of door leaf	960	1060	1160	1260	1360	1460	1560	1660	1760	1860	1960
s1	Width of hole in wall	1040	1140	1240	1340	1440	1540	1640	1740	1840	1940	2040
s2	Frame width	1010	1110	1210	1310	1410	1510	1610	1710	1810	1910	2010
s3	Door frame clear width	922	1022	1122	1222	1322	1422	1522	1622	1722	1822	1922
h1	Height of door leaf	2030	2030	2030	2030	2030	2030	2030	2030	2030	2030	2030
h2	Height of hole in wall	2080	2080	2080	2080	2080	2080	2080	2080	2080	2080	2080
h3	Frame height	2065	2065	2065	2065	2065	2065	2065	2065	2065	2065	2065
h4	Door frame clear height	2021	2021	2021	2021	2021	2021	2021	2021	2021	2021	2021

### **ADJUSTABLE FRAME**




### ADJUSTMENT RANGE



Adjustment range minmax (mm)
80-100 100-120 120-140
140-160 160-180 180-200
200-220 220-240 240-260
260-280 280-300
300-320 320-340
340-360 360-380
380-400 400-420

DOOR WIDTH	Α	В	C	D	E	F	G
"60"	644	618	602	624	646	744	686
"70"	744	718	702	724	746	844	786
"80"	844	818	802	824	846	944	886
"90"	944	918	902	924	946	1044	986
"100"	1044	1018	1002	1024	1046	1144	1086



Adjustable frame of range more than 280 mm includes two elements Adjustable frame of range more than 400 mm includes three elements Price of fixed and adjustable frame with additional tap +20% Price of fixed and adjustable frame to double doors +30%

\* concerns board, stile and twin door leafs

Moveable square with prolonged feather by 2 cm and standard square to adjustable frame coming in all available colours. (price includes the set to a given frame of specified size)


Frames can be ranged up to 500-520 mm.

The charge is 7.32  $\in$  for each 2 cm of range basing on the price of frame 400-420 mm.


Prices of tunnel type of frame of widths: 60, 70, 80, 90, 100 are at the prices of adjustable frame.

Prices of tunnel type of frame of widths: 110, 120, 130, 140, 150, 160, 170, 180, 190 are at the prices of adjustable frame to double doors.

### FIXED FRAME




### **QUARTER ROUND**




DOOR WIDTH	A	В	C	D	E
"60"	644	618	602	690	720
<b>"70</b> "	744	718	702	790	820
" <b>80</b> "	844	818	802	890	920
"90 <b>"</b>	944	918	902	990	1020
"100"	1044	1018	1002	1090	1120

The set includes 2 pieces x 211,5 cm and 1 piece x 106,5 cm (concerns STILE doors 60-90) The set includes 3 pieces x 211,5 cm (concerns doors 100-190)

### **■ MASKING BOX**



The set includes 2 pieces x 211,5 cm and 1 piece x 106,5 cm (concerns STILE doors 60-90) The set includes 3 pieces x 211,5 cm (concerns doors 100-190)





Nieuwe Baan 72 9111 Belsele BELGIUM

Tel: +32(0)3 808 16 12

info@eucomat.eu

www.eucomat.eu

